



HELICOPTER

LANDING MAT

**Rapidly deployed and
multi-purpose**



TRACKWAY[®] SOLUTIONS

The Helicopter Landing Mat system allows expeditionary forces create safe landing, servicing, parking and take-off areas for all types of helicopters within an array of environments and operations. The system suppresses sand, dust and foreign objects, ensuring pilot and crew safety as well as asset protection. The durable solution can be manufactured to any size requirement; used for as little as a day or as a permanent installation, and is available in a variety of panel profiles. All systems are suitable for Light Observation Helicopters, Light Utility Helicopters, Anti-Tank Helicopters, Attack Helicopters, Light Support Helicopters, Medium Support Helicopters, Medium Lift Utility, Air Assault, Tactical Transport Helicopter, and Heavy Multi-Role Helicopters.

CAPABILITIES & SPECIFICATION

Aluminum panels, joined together to any size requirement;

Simple ground anchoring procedure;

Provides temporary or semi-permanent matting;

Ensures ground / environmental protection;

Prevents Foreign Object Damage (FOD);

Alleviates brown out by suppressing dust and airborne debris;

Easily and safely deployed and recovered at speed;

Lightweight but durable;

Easily transportable;

Facilitates multiple landings at the same location;

Designed to be constantly reused for multi-purpose operations;

Withstands ambient temperatures ranging from -40°F to +140°F;

Anodized or painted with flight deck approved paint;

Anti-skid finish;

Easily cleaned and repaired;

Long operational life, 100% recyclable and has residual value;

Corrosion, fire, UV and glare resistant;

Foot protection is required for walking on all Trackway[®] aluminum products.



PSA FLAT TOP N TRACKWAY®

PSA Flat Top N Trackway®'s innovative design allows two panels to be stacked into a combined state of 1.1in; allowing for an increased square footage, due to the unique nesting function. Transportable on 463L pallets, in ISO Containers, or the Multi Role Packaging solution, the panel is supplied anodized for durability and protection from corrosion; and an anti-skid finish ensures the surface is of the highest traction for asset and personnel safety. Suitable for landing, take-off, servicing and maintenance, its flat surface makes the ideal solution for helicopter parking zones, and its structurally sound yet flexible foundation ideal for supporting VTOL / STOVL operations.

	Full Panel	Edge Panel
✓ Width:	7ft 4½ in (2,255mm)	2ft 11 in (890mm)
✓ Overall Length:	11 in (265mm)	11 in (265mm)
✓ Effective Length:	10 in (255mm)	10 in (255mm)
✓ Height:	0.93 in (23.5mm)	0.93 in (23.5mm)
✓ Weight:	22.3lb (10kg)	9.1lb (18kg/m ²)
✓ Weight / Area:	3.6lb/ft ² (17.6kg/m ²)	3.7lb/ft ² (18kg/m ²)



Patent pending

Two panels nested

PSA TRACKWAY®

PSA Trackway® is supplied painted for durability and protection from corrosion. Originally developed for the UK Armed Forces over 50 years ago, the original landing mat panel can be transported by land, sea or air in either stillages or 463L pallets. Most suited for landing and take-off for fixed and rotary wing aircraft, the PSA Trackway® panel is lightweight, versatile and can be deployed with ease.

	Full Panel	Half Panel
✓ Width:	9ft (2,740mm)	4ft 5in (1,370mm)
✓ Overall Length:	10.6in (269mm)	10.6in (269mm)
✓ Effective Length:	9.9in (251mm)	9.9in (251mm)
✓ Height:	0.87in (22.2mm)	0.87in (22.2mm)
✓ Weight:	21lb (9.51kg)	10.5lb (4.76kg)
✓ Weight / Area:	2.8lb/ft ² (13.82kg/m ²)	2.8lb/ft ² (13.82kg/m ²)




ADDITIONAL TRACKWAY® OPTIONS

■ PSA FLAT TOP TRACKWAY®

Developed for the Australian Armed Forces, PSA Flat Top Trackway® has been tried and tested by the Engineer Research and Development Center within the US Army.

■ PSA FLAT TOP REINFORCED TRACKWAY®

Featuring reinforced edging for enhanced durability, the PSA Flat Top Reinforced Trackway® panel has been tried and tested by the Engineer Research and Development Center within the US Army.



PSA Flat Top Trackway®



PSA Flat Top Reinforced Trackway®



PLAY VIDEO





FAUN Trackway USA, Inc.
Member of the KIRCHHOFF Group

Office #630, 2611 South Clark Street,
Arlington, VA, 22202-4046, USA

Tel: +1 (620) 912 8752

info@fauntrackway.com
www.f auntrackway.com

Images for Illustration Purposes Only

DUNS # 968299268
CAGE # 6HLG9

All content © FAUN Trackway USA, Inc. 2025. All Rights Reserved.